

Praxair Part #	CGA#	Price	Rent Rate	Praxair product description
AC MC	200	11.89	.09/day	ACETYLENE, INDUSTRIAL, CYLINDER MC
AC 2.6AA-A5	510	147.78	.14/day	C2H2, ACETYLENE 99.6% AA A5, ACETYLENE PURIFIEDAC 2.6AA-A5 ACC9 Acetylene, Atomic Absorption Grade, A5 Style Cylinder, AC 2.6AA-A5, Purity 99.6%
AC 4	510	43.29	.09/day	ACETYLENE, INDUSTRIAL, CYLINDER #4
AM 4.0-LB	180	spec order	.14/day	NH3, AMMONIA 99.99% Lecture Bottle, NH3, Industrial, Applicable in: Ammonia, Industrial
DT 2.8-G500	350	spec order	.14/day	(D2), DEUTERIUM 99.8% G 500 LTR G Style Cylinder
EY 1.85-K	350	spec order	.14/day	C2H4, ETHYLENE 98.5% K, EY 1.85-K EYC9 Ethylene, Specialty Gas Grade, K Style Cylinder, EY 1.85-K, Purity 98.5%
EY 5.0RS-Q	350	spec order	.14/day	C2H4, ETHYLENE 99.999% RES Q, EY 5.0RS-Q EYC9 Ethylene, Research Grade, Q Style Cylinder, EY 5.0RS-Q, Purity 99.999%
IS 2.0-LP2.5	510	spec order	.14/day	i-C4H10, ISOBUTANE 99.0% LP2.5, IS 2.0-LP2.5 ISC9, Isobutane, Certified Pure, LP2.5 Style Cylinder, IS 2.0-LP2.5, Purity 99%
PY 25	510	spec order	.09/day	PROPYLENE, POLYMER, CYLINDER 25LB
AR 5.0UH-T	580	56.25	.14/day	ARGON 99.999% T AR 5.0-T, Argon, AR
AR Q	580	12.50	.09/day	ARGON Q Q Type Cylinder
AR S	580	18.50	.09/day	ARGON S Type Cylinder
IG P5-K	350	75.59	.14/day	CH4 BAL Ar, P-5 Mix, 5 % Methane, Balance Argon, K Cylinder Style, CGA 350. volume 226 Cubic Feet per Cylinder, Non-Certified Standard, Analytical Instrumentation, P-5, Carrier Gas, Proportional Counter
IG P10-K	350	75.59	.14/day	CH4 BAL Ar, P-10 Mix, Methane (CH4) 10%, Balance Argon, K Cylinder Style, CGA 350, volume 226 standard cubic feet per Cylinder, Non-Certified Standard, Analytical Instrumentation, P-10, Carrier Gas, Proportional Counter
AR STAR14-S	580	19.39	.09/day	STARGOLD C25 ARGON-CARBON DIOXIDE 25 % S Industrial GRADE
AR K	580	21.60	.09/day	ARGON K Type Cylinder
AR 4.8-6K	677	103.46	.14/day	ARGON 99.998% 6K AR 4.8-6K, Argon, AR
AR 5.0UH-T	580	56.25	.14/day	ARGON 99.999% UHP T, Ultra High Purity Grade, AR 5.0UH-T, Argon, Ultra High Purity, AR
AR STAR14-T	580	30.69	.14/day	STARGOLD C25 ARGON-CARBON DIOXIDE 25 % T Type Cylinder Industrial GRADE
HE STAR37-T	580	118.50	.14/day	HELISTAR HELIUM-ARGON 7.5%-CARBON DIOXIDE 2.5 % T Type Cylinder Industrial GRADE
AR CDISC1-K	350	spec order	.14/day	Balance Argon, Carbon Dioxide 2.5%-Isobutane 1%, Certified Standard Grade K TYPE CYLINDER
AR SI2C-UCK	350	spec order	.14/day	2% SILANE, BAL ARGON CERTIFIED, ULTRA CLEAN K
AR 4.8LC180-230	580	338.99	N/A	ARGON LIQ 99.998% LC180 230 PSI(Ar), Ultra High Purity Grade, 99.998% Purity, 180 Liter Dewar, Cryogenic, Liquid, Dewar
CD 5	320	8.80	.09/day	CARBON DIOXIDE 1.8KG 5LB AD Type Cylinder
CD M-AE	940	8.76	1.14/month	Carbon Dioxide USP) Medipure brand AE Size Aluminum Cylinder

<u>Praxair Part #</u>	<u>CGA#</u>	<u>Price</u>	<u>Rent Rate</u>	<u>Praxair product description</u>
CD 50S	320	11.69	.09/day	CARBON DIOXIDE 22.7KG 50LB SIPHN
CD 5	320	8.80	.09/day	CARBON DIOXIDE 2.3KG 5LB R Type Cylinder
CO 2.5-LB	350	149.35	.14/day	CARBON MONOXIDE 99.5% CO 2.5-Lecture Bottle, Carbon Monoxide, CO
PR 60	510	61.86	.09/day	PROPANE, INDUSTRIAL, CYLINDER 60LB (50.4LTR)
PR 100	510	95.92	.09/day	PROPANE, INDUSTRIAL, CYLINDER 100LB (86 LTR)
PR 33	510	24.05	.09/day	PROPANE, INDUSTRIAL, CYLINDER 33LB (7.3GAL)
PR 33N	510	24.05	.09/day	PROPANE, INDUSTRIAL, CYLINDER 100LB (86 LTR)
PR 10	510	11.89	.09/day	PROPANE, INDUSTRIAL, CYLINDER 10LB (2.3GAL)
N/A	N/A	N/A	N/A	
HA 232.0SP-Q	660	spec order	spec order	
HA 143.7-Q	580	spec order	spec order	
PR 2.0-35	510	155.00	.14/day	
CD 50	320	11.69	.09/day	CARBON DIOXIDE 22.7KG 50 LB Type Cylinder
CD M-50	320	15.47	.09/day	Carbon Dioxide USP Medipure brand 50 pound Size Steel Cylinder
CD 20N	320	14.12	.09/day	CARBON DIOXIDE 9.1KG 20 LB Type Cylinder
CD 20	320	14.12	.09/day	CARBON DIOXIDE 9.1KG 20 LB Type Cylinder
CD 4.8RS-K	320	230.31	.14/day	CARBON DIOXIDE 99.998% RES K, Research Grade, CD 4.8RS-K, Carbon Dioxide, Research, CO2
CD OX25ZC-G	296	100.46	.14/day	Carbon Dioxide 75%, Oxygen 25%, Custom, Certified Standard
MM OXCD5-K	280	40.99	.14/day	Oxygen with 5% Carbon Dioxide USP K Size Steel Cylinder
OX CD5C-K	296	91.28	.14/day	Balance Oxygen, Carbon Dioxide 5%, Primary Standard Grade
ET 2.0-F	350	spec order	spec order	C2H6, ETHANE 99.0% F, ET 2.0-F ETC9 Ethane, Specialty Gas Grade, F Style Cylinder, ET 2.0-F, Purity 99%
CL 2.5-G	660	SPEC ORDER	spec order	CHLORINE 35LB
CL 150	660	SPEC ORDER	spec order	CHLORINE 150LB
AI M-AE	950	5.52	1.14/month	Air USP Medipure brand AE Size Aluminum Cylinder
AI M-AE	950	5.52	1.14/month	Air USP Medipure brand AE Size Aluminum Cylinder
AI BR-T	346	14.50	.09/day	AIR BREATHING T Type Cylinder
AI BR-K	346	9.65	.09/day	AIR BREATHING K Type Cylinder
AI 0.0UZ-T	590	45.80	.14/day	AIR ULTRA ZERO T, AI 0.0UZ-T, Air Ultra Zero, Hydrocarbon Free
AI 0.0UZ-T	590	45.80	.14/day	AIR ULTRA ZERO T, AI 0.0UZ-T, Air Ultra Zero, Hydrocarbon Free
NI CDOXC67-K	590	135.06	.14/day	Balance Air, CD 5 %, Certified Standard Grade
BG NICDOXC1-K	500	145.60	.14/day	CBG Nitrogen, CO2 2.5%-OXY 21% CS K, Clinical Blood, Certified Standard
BG NICDOXC123-K	500	129.27	.14/day	CBG Nitrogen, CO2 .5%-OXY 20.5% CS K, Clinical Blood, Certified Standard
LD NICO3000X8CG	500	spec order	.14/day	Nitrogen with 3000 PPM Carbon Monoxide 3000 PPM Methane Lung Diffusion Certified G Size Steel Cylinder

Praxair Part #	CGA#	Price	Rent Rate	Praxair product description
BG NICDOXC2-K	500	114.62	.14/day	Nitrogen with 5% Carbon Dioxide USP 20% Oxygen USP Blood Gas Analysis Certified K Size Steel Cylinder
AI CD20C-K	590	135.06	.14/day	Balance Air, Carbon Dioxide 1-50%, Certified Standard Grade
AI CD15C-K	590	135.06	.14/day	Balance Air, Carbon Dioxide 1-50%, Certified Standard Grade
AI CD30C-K	590	135.06	.14/day	Balance Air, Carbon Dioxide 1-50%, Certified Standard Grade
AI CD40C-K	590	135.06	.14/day	Balance Air, Carbon Dioxide 1-50%, Certified Standard Grade
SH 3.0-F	590	spec order	.14/day	SF6, SULFUR HEXAFLUORIDE 99.9% F, SF6, Semiconductor Process Gas, Applicable in: Electronics, Semiconductor Process, Dopant, Etchant, Reactant, Fabrication, Reactors, Silicon-Precursor, Gases, Purge, Pure, Standards
SH OX20C-G	590	spec order	.14/day	Sulfur Hexafluoride, Oxygen 20%, Certified Standard Grade
CUSTOM ORDER	580	SPEC ORDER	spec order	Helium-custom cylinder size
HE M-D	930	24.06	1.14/month	Helium USP Medipure brand D Size Steel Cylinder
HE M-E	930	24.06	1.14/month	Helium USP Medipure brand E Size Steel Cylinder
LD ME1C-E	973	123.28	.14/day	Nitrogen with 0.3% Carbon Monoxide 0.3% Methane 21% Oxygen Lung Diffusion Certified E Size Steel Cylinder
HE NICD-E	973	SPEC ORDER	spec order	CAN'T FIND ON WEBSITE!
MM HEOX20M-E	890	SPEC ORDER	spec order	CAN'T FIND ON WEBSITE!
HE 40	580	24.61	.09/day	HELIUM 40 Type Cylinder
HE HY7C-G	350	199.80	.14/day	Balance Helium, Hydrogen 7%, Certified Standard Grade
HE 5.0UH-LB	170	173.75	.14/day	HELIUM 99.995% LB, Ultra High Purity Grade, HELIUM, HE
HE LT250	792	3,070.00	N/A	HELIUM LIQUID LT250(He), Industrial Grade, 99.999% Purity, 250 Liter, Cryogenic, Liquid
HE LT100	792	1,325.00	N/A	HELIUM LIQUID LT100(He), Industrial Grade, 99.999% Purity, 100 Liter, Cryogenic, Liquid
HE LT60	792	852.60	N/A	HELIUM LIQUID LT60(He), Industrial Grade, 99.999% Purity, 60 Liter, Cryogenic, Liquid
HE B-S	580	91.56	.09/day	HELIUM S Type Cylinder-balloon grade helium
HE 5.0UH-T	580	181.21	.14/day	HELIUM 99.999% UHP T, Ultra High Purity Grade, HE 5.0UH-T, Helium, Ultra High Purity, HE
HE 6.ORS-T	580	496.31	.14/day	HELIUM 99.9999% RES T, Research Grade, HE 6.ORS-T, Helium, Research, HE
HE 5.0UH-T	580	181.21	.14/day	HELIUM 99.999% UHP T, Ultra High Purity Grade, HE 5.0UH-T, Helium, Ultra High Purity, HE
HE T	580	148.43	.09/day	Colorless, Odorless, Nonflammable Inert Gas, Helium LIQUID Research, Bureau of Mines, Industrial
HE 6K	677	258.59	.09/day	HELIUM 6K Type Cylinder
MM HEOX20-K	280	156.23	spec order	HEL-OXY 20% USP K
HE NI1C-K	580	320.29	.14/day	HEL-NIT 1% CS K
HE NS.5C-K	580	SPEC ORDER	spec order	Balance Helium, N2O .5 PPM, Certified Standard Grade K TYPE Cylinder
HE FL5000C-Q	679	spec order	spec order	Balance Helium, 5% Fluorine Certified Standard Q cylinder size
HE NO3C-K	660	523.53	.14/day	Balance Helium, Nitric Oxide 3%, Certified Standard Grade
HE IS3C-K	350	272.34	.14/day	Balance Helium, Isobutane 3%, Certified Standard Grade

Praxair Part #	CGA#	Price	Rent Rate	Praxair product description
HE OX10C-K	590	186.01	.14/day	Balance Helium, Oxygen 10%, Certified Standard Grade
ME 2.0-T	350	60.26	.14/day	CH4, METHANE 99.0% T, ME 2.0-T MEC9 Methane, Certified Pure, T Style Cylinder, ME 2.0-T, Purity 99%
ME 2.0-T	350	60.26	.14/day	CH4, METHANE 99.0% T, ME 2.0-T MEC9 Methane, Certified Pure, T Style Cylinder, ME 2.0-T, Purity 99%
HY 6.0RS-T	350	173.92	.14/day	HYDROGEN 99.9999% RES T, Research Grade, HY 6.0RS-T, Hydrogen, Research, H2
HY K	350	19.77	.09/day	HYDROGEN, INDUSTRIAL, CYLINDER K
HY 5.0UH-T	350	54.94	.14/day	HYDROGEN 99.999% UHP T, Ultra High Purity Grade, HY 5.0UH-T, Hydrogen, Ultra High Purity, H2
HY 5.0UH-T	350	54.94	.14/day	HYDROGEN 99.999% UHP T, Ultra High Purity Grade, HY 5.0UH-T, Hydrogen, Ultra High Purity, H2
HS 2.5-Q	330	spec order	spec order	PURE HYDROGEN SULFIDE 99.5% Q
NI HY7C-K	350	113.18	.14/day	Balance Nitrogen, Hydrogen 7%, Certified Standard Grade
NI HY2C-K	350	113.18	.14/day	Balance Nitrogen, Hydrogen 2%, Certified Standard Grade
NI HY4C-K	350	113.18	.14/day	Balance Nitrogen, Hydrogen 4%, Certified Standard Grade
NI HY5C-K	350	113.18	.14/day	Balance Nitrogen, Hydrogen 5%, Certified Standard Grade
HY 6.0RS-D	350	137.50	.14/day	HYDROGEN 99.9999% RES D, research Grade, Hydrogen, Research Grade, HY
NI HS15C-AS	330	SPEC ORDER	spec order	CAN'T FIND ON WEBSITE!
HY 5.0UH-LB	170	76.70	.14/day	HYDROGEN 99.999% UHP LB, Ultra High Purity Grade, Hydrogen, Ultra High Purity Grade, HY
HY CO100MC-K	350	SPEC ORDER	spec order	Balance Hydrogen, Carbon Monoxide 100 PPM, Certified Standard Grade
HC 2.0-G	330	spec order	spec order	CAN'T FIND ON WEBSITE!
HY CO500C-AS	350	spec order	.14/day	Balance Hydrogen, Carbon Monoxide 10-999 PPM, Certified Standard Grade
NI HS50MC-AS	330	spec order	.14/day	Balance Nitrogen, Hydrogen Sulphide50 PPM, Certified Standard Grade
HY ME50C-G	350	SPEC ORDER	spec order	BALANCE HYDROGEN, METHANE 50%, CERTIFIED STANDARD GRADE G
NI ME50C-Q	350	SPEC ORDER	spec order	Balance Nitrogen, Methane 50%, Certified Standard Grade
KR 4.0-Q	580	spec order	spec order	Krypton
NE CD30C-S	580	spec order	spec order	Neon/Carbon Dioxide Mix
NE 5.0RS-T	580	spec order	spec order	Neon Research Grade 99.999% Purity - T size cylinder
NE FL1C-Q	679	spec order	.14/day	Neon/Flourine Mix
XE OX20C-Q	590	spec order	.14/day	Xenon/Oxygen Mix
NI M-D	960	6.08	1.14/month	Nitrogen NF Medipure brand D Size Steel Cylinder
NI M-E	960	6.08	1.14/month	Nitrogen NF Medipure brand E Size Steel Cylinder
NI 5.0UH-T	580	35.63	.14/day	NITROGEN 99.999% UHP T, Ultra High Purity Grade, NI 5.0UH-T, Nitrogen, Ultra High Purity, N2
NI R	580	8.62	.09/day	NITROGEN R Type Cylinder
NI S	580	9.81	.09/day	NITROGEN S Type Cylinder
BG NICDOXC20-G	500	request quote	.14/day	Nitrogen with 5% Carbon Dioxide USP 25% Oxygen USP Blood Gas Analysis Certified G Size Steel Cylinder

<u>Praxair Part #</u>	<u>CGA#</u>	<u>Price</u>	<u>Rent Rate</u>	<u>Praxair product description</u>
BG NICD5O22C-K	500	request quote	.14/day	CBG Nitrogen, CO2 5%-OXY 8% CS K, Clinical Blood, Certified Standard
NI HY10C-K	350	110.98	.14/day	Balance Nitrogen, Hydrogen 10%, Certified Standard Grade
CUSTOM ORDER	350	spec order	spec order	Special order UHP grade all components
NI SD15MC-AS	660	SPEC ORDER	.14/day	NIT-SO2 15 PPM CS AS
NI NO50MC-AS	660	SPEC ORDER	.14/day	Balance Nitrogen, Nitric Oxide 50 PPM, Certified Standard Grade
NI OX2500MC-K	580	SPEC ORDER	.14/day	Balance Nitrogen, Oxygen 2500 PPM, Certified Standard Grade
NI 6K	677	request quote	.09/day	NITROGEN 6K Type Cylinder
NO 2.0-LB	180	spec order	spec order	NITRIC OXIDE 99.0% LB
NI NO5C-A3	660	SPEC ORDER	.14/day	Balance Nitrogen, Nitric Oxide 5%, Certified Standard Grade A3 Type Cylinder
NI OX20C-K	590	97.11	.14/day	Balance Nitrogen, Oxygen 20%, Certified Standard Grade
BG NIOX26C-E	973	request quote	.14/day	Nitrogen with 26% Oxygen USP Blood Gas Analysis Certified E Size Steel Cylinder
BG NICDOXC3-E	973	93.57	.14/day	Nitrogen with 4% Carbon Dioxide USP 16% Oxygen USP Blood Analysis Certified E Size Steel Cylinder
BG NICDOXC66-E	973	request quote	.14/day	CBG Nitrogen, CO2 5%-OXY 1% CS E, Clinical Blood, Certified Standard
BG NICDOXC3-K	500	114.62	.14/day	Nitrogen with 4% Carbon Dioxide USP 16% Oxygen USP Blood Analysis Certified K Size Steel Cylinder
NI OX26C-K	296	99.25	.14/day	Balance Nitrogen, Oxygen 26%, Certified Standard Grade
NI HY100MC-K	350	spec order	spec order	BALANCE NITROGEN, HYDROGEN 100PPM CERTIFIED STANDARD K
NI OX40M-E	296	spec order	spec order	BALANCE NITROGEN, OXYGEN 40% E MEDICAL GRADE
NI CDOXC33-K	590	request quote	.14/day	NIT-CO2 5000 PPM-OXY 20.5% CS K
BG NICD0XC38-K	500	114.62	.14/day	CBG Nitrogen, CO2 5%-OXY 16% CS K, Clinical Blood, Certified Standard
NI CD20C-K	580	102.86	.14/day	Balance Nitrogen, Carbon Dioxide 20%, Certified Standard Grade
NI OX40-K	280	spec order	spec order	Balance Nitrogen, Carbon Dioxide 40%
SPEC ORDER		spec order	spec order	Certified Blood Gas balance nitrogen, oxygen 21%, co 2 5% K
BG NICD15O1C-K	500	118.88	.14/day	CBG Balance Nitrogen, Carbon Dioxide 15%-Oxygen 21%, Certified Standard Grade
BG NICDOXC100-K	500	145.60	.14/day	CBG Nitrogen, CO2 20%-OXY 21% CS K, Clinical Blood, Certified Standard
NI CD2CO6C-G	350	spec order	.14/day	Balance Nitrogen, Carbon Dioxide 2%-Carbon Monoxide 2% Oxygen 2%, Certified Standard Grade G TYPE CYLINDER
NI 40	580	9.81	.09/day	NITROGEN G Type Cylinder
NI M-K	580	9.25	.14/day	Nitrogen NF Medipure brand K Size Steel Cylinder
NI T	580	8.57	.09/day	NITROGEN T Type Cylinder
NI T	580	8.57	.09/day	NITROGEN T Type Cylinder
NI 5.0UH-T	580	35.63	.14/day	NITROGEN 99.999% UHP T, Ultra High Purity Grade, NI 5.0UH-T, Nitrogen, Ultra High Purity, N2

<u>Praxair Part #</u>	<u>CGA#</u>	<u>Price</u>	<u>Rent Rate</u>	<u>Praxair product description</u>
NI 6.0RS-T	580	179.64	.14/day	NITROGEN 99.9999% RES T, Research Grade, NI 6.0RS-T, Nitrogen, Research, N2
NI LT60	N/A	38.01	N/A	NITROGEN LIQ DEWAR 60LT
NI 4.8LC160-22	295	69.43	N/A	NITROGEN LIQUID LC160 22 PSI
NI 4.8LC180-22N	295	75.31	N/A	NITROGEN LIQUID LC180 22 PSI
NI 4.8LC180-22	295	75.31	N/A	NITROGEN LIQUID LC180 22 PSI
NI 4.8LC180-230	580/295	75.31	N/A	NITROGEN LIQUID LC180 230 PSI
NI MLC180-22	295	75.31	N/A	Liquid Nitrogen Gas Delivery 180L Size Stainless Steel Container Medipure brand
NI MLT30N	N/A	32.93	N/A	Liquid Nitrogen Dewar Refill Medipure brand
NI LT30	N/A	32.93	N/A	NITROGEN LIQUIDEWAR 30 LTR
NI OX30C-K	296	108.46	.14/day	Balance Nitrogen, Oxygen 30%, Certified Standard Grade
BG NICD1008C-K	500	spec order	.14/day	Nitrogen with 10% Carbon Dioxide USP 6% Oxygen USP Blood Gas Analysis Certified K Size Steel Cylinder
NI 4.8LC160-22N	295	69.43	.14/day	NITROGEN LIQUID LC160 22 PSI
NI LC230-230	N/A	99.00	N/A	NITROGEN LIQUID LC230 230 PSI
BG NICD405C-E	973	spec order	.14/day	Nitrogen with 4% Carbon Dioxide USP 5% Oxygen USP Blood Gas Analysis Certified E Size Steel Cylinder
NI CD5032C-K	590	184.23	.14/day	Balance Nitrogen, CO2 5%-OXY 4% Certified Standard - K cylinder
NI CDOXC23-K	590	135.06	.14/day	CBG Nitrogen, CO2 5%-OXY 2% CS K, Clinical Blood, Certified Standard
NI CDOXC12-K	590	135.06	.14/day	Nitrogen with 5% Carbon Dioxide 1% Oxygen Certified Standard K Size Steel Cylinder
NI OX5C-K	580	97.11	.14/day	Balance Nitrogen, Oxygen 5%, Certified Standard Grade
NI ET30C-K	350	spec order	.14/day	Balance Nitrogen, Ethane 30%, Certified Standard Grade K TYPE CYLINDER
NI OX21C-K	590	97.11	.14/day	NIT-OXY 21% CS K
NI CD3011C-K	590	spec order	.14/day	Nitrogen balance, 21% oxygen, 3% CO2 - Certified Standard -K cylinder
NI CDOXC67-K	590	135.06	.14/day	Balance Nitrogen, Carbon Dioxide 5%-Oxygen 21%, Certified Standard Grade
NI CD0XC50-K	590	115.74	.14/day	NIT-CO2 7%-OXY 21% CS K
BG NICD703C-K	500	SPEC ORDER	.14/day	Nitrogen with 7% Carbon Dioxide USP 2% Oxygen USP Blood Gas Analysis Certified K Size Steel Cylinder
BG NICD5030C-K	500	SPEC ORDER	.14/day	Nitrogen with 5% Carbon Dioxide USP 3% Oxygen USP Blood Gas Analysis Certified K Size Steel Cylinder
BI NICDHYC1-K	350	161.82	.14/day	Nitrogen with 5% Carbon Dioxide USP 5% Hydrogen USP Biological Anaerobic Incubation Certified G Size Steel Cylinder
NI OX15C-K	590	97.11	.14/day	Balance Nitrogen, Oxygen 15%, Certified Standard Grade
BG NICDOXC91-K	500	110.31	.14/day	Nitrogen with 5% Carbon Dioxide USP 1.5% Oxygen USP Blood Gas Analysis Certified K Size Steel Cylinder
NI CD7.507C-K	590	SPEC ORDER	.14/day	Nitrogen with 7.5% Carbon Dioxide 21% Oxygen Certified Standard - K Size Steel Cylinder

<u>Praxair Part #</u>	<u>CGA#</u>	<u>Price</u>	<u>Rent Rate</u>	<u>Praxair product description</u>
BG NICDOXC23-K	500	135.06	.14/day	Nitrogen with 5% Carbon Dioxide USP 5% Oxygen USP Blood Gas Analysis Certified K Size Steel Cylinder
BI NICDHYC2-K	350	162.50	.14/day	Nitrogen with 10% Carbon Dioxide USP 5% Hydrogen Biological Anaerobic Incubation Certified K Size Steel Cylinder
BI NICDHYC2-K	350	162.50	.14/day	Nitrogen with 5% Carbon Dioxide USP 10% Hydrogen USP Biological Anaerobic Incubation Certified K Size Steel Cylinder
NI OX8C-K	590	spec order	.14/day	NIT-OXY 8% CS K
NI CO33C-AS	350	spec order	.14/day	Balance Nitrogen, Carbon Monoxide 33%, Certified Standard Grade
NI CD10022C-K	590	184.23	.14/day	Nitrogen with 10% Carbon Dioxide 21% Oxygen Certified Standard - K Size Steel Cylinder
BG NICD1506C-E	973	spec order	.14/day	Nitrogen with 15% Carbon Dioxide USP 5% Oxygen USP Blood Gas Analysis Certified E Size Steel Cylinder
BG NICDOXC10-E	973	spec order	.14/day	Nitrogen with 10% Carbon Dioxide USP 21% Oxygen USP Blood Gas Analysis Certified E Size Steel Cylinder
BG NICDOXC47-K	500	spec order	.14/day	CBG Nitrogen, CO2 10%-OXY 1% CS K, Clinical Blood, Certified Standard
BG NICDOXC23-E	973	93.57	.14/day	Nitrogen with 5% Carbon Dioxide USP 5% Oxygen USP Blood Gas Analysis Certified E Size Steel Cylinder
NI OX10C-K	590	97.11	.14/day	NIT-OXY 10% CS K
BG NICD10C-K	500	spec order	.14/day	Nitrogen with 10% Carbon Dioxide USP Blood Gas Analysis Certified K Size Steel Cylinder
NI CD10C-K	580	spec order	.14/day	Balance Oxygen, Carbon Dioxide 10%, Certified Standard Grade
BG NICD10C-E	973	spec order	.14/day	Nitrogen with 10% Carbon Dioxide USP Blood Gas Analysis Certified E Size Steel Cylinder
BG NICD5029C-K	500	spec order	.14/day	Nitrogen with 5% Carbon Dioxide USP 9% Oxygen USP Blood Gas Analysis Certified K Size Steel Cylinder
NI OX10C-K	590	97.11	.14/day	Balance Nitrogen, Oxygen 10%, Certified Standard Grade
NI CD5C-K	580	97.11	.14/day	Balance Nitrogen, Carbon Dioxide 5%, Certified Standard Grade
NI OX1C-K	580	97.11	.14/day	Balance Nitrogen, Oxygen 1%, Certified Standard Grade
NI AM50MC-AS	705	spec order	.14/day	BALANCE NITROGEN, AMMONIA 50 PPM, CERTIFIED STANDARD AS
NI CD25C-K	580	97.11	.14/day	Balance Nitrogen, Carbon Dioxide 25%, Certified Standard Grade
BG NICD3501C-K	500	spec order	.14/day	Nitrogen with 35% Carbon Dioxide USP 21% Oxygen USP Blood Gas Analysis Certified K Size Steel Cylinder
BG NICDOXC8-K	500	114.62	.14/day	Nitrogen with 10% Carbon Dioxide USP 5% Oxygen USP Blood Gas Analysis Certified K Size Steel Cylinder
BG NICDOXC18-E	973	119.26	.14/day	CBG Nitrogen, CO2 5%-OXY 10% CS E, Clinical Blood, Certified Standard
NS M-G	326	request quote	.14/day	Nitrous Oxide USP Medipure brand G Size Steel Cylinder
NS M-E	910	10.75	1.14/month	Nitrous Oxide USP Medipure brand E Size Steel Cylinder
NS M-S	326	request quote	.14/day	NITROUS OXIDE USP S
NS M-AE	910	10.75	1.14/month	Nitrous Oxide USP Medipure brand AE Size Aluminum Cylinder

<u>Praxair Part #</u>	<u>CGA#</u>	<u>Price</u>	<u>Rent Rate</u>	<u>Praxair product description</u>
NS M-56	326	51.13	.14/day	Nitrous Oxide USP Medipure brand 56 LB pound Size Steel Cylinder
NS 4.8SP-T	326	spec order	.14/day	Nitrous Oxide, NITROUS OXIDE 99.998% SP T, Nitrous Oxide, semiconductor Process Gas, Applicable in: Electronics, Semiconductor Process, Dopant, Etchant, Reactant, Fabrication, Reactors, Silicon-Precursor, Gases, Purge, Pure, Standards
OX M-AD	870	3.27	1.14/month	Oxygen USP Medipure brand AD Size Aluminum Cylinder
OX M-D	540	3.27	1.14/month	SHOULD BE STEEL!
OX 4.3UH-LB	170	spec order	.14/day	OXYGEN 99.993% UHP LB, Ultra High Purity Grade, OX 4.3UH-LB, Oxygen, Ultra High Purity, O2
OX M-AE POSTVAVLE	870	3.27	1.14/month	Oxygen USP Medipure brand AE Size Aluminum Cylinder
OX M-AEGNGVNTG	540	3.27	1.14/month	Oxygen USP Medipure brand AE Size Aluminum Cylinder Grab 'n Go Vantage . Ready to use. Does not require separate valve.
OX M-AE	870	3.27	1.14/month	Oxygen USP Medipure brand AE Size Aluminum Cylinder
MM OXCD35-E	940	spec order	.14/day	OXY-CO2 35% USP E
OX XE30C-T	296	spec order	.14/day	CAN'T FIND ON WEBSITE!
OX MLC180-230	540	96.18	N/A	Liquid Oxygen 230 PSI 180L Size Stainless Steel Container Medipure brand
OX 4.3UH-T	540	127.73	.14/day	OXYGEN 99.993% UHP T, Ultra High Purity Grade, OX 4.3UH-T, Oxygen, Ultra High Purity, O2
OX 4.3UH-T	540	127.73	.14/day	OXYGEN 99.993% UHP T, Ultra High Purity Grade, OX 4.3UH-T, Oxygen, Ultra High Purity, O2
OX 6.0RS-T	540	spec order	.14/day	OXYGEN 99.9999% T OXYGEN, O2
OX CD15C-K	296	109.09	.14/day	Balance Oxygen, Carbon Dioxide 15%, Certified Standard Grade
OX CD20C-K	296	request quote	.14/day	Balance Oxygen, Carbon Dioxide 20%, Certified Standard Grade
OX M-B	870	request quote	.14/day	Oxygen USP Medipure brand B Size Steel Cylinder
NI OX4C-K	580	97.11	.14/day	Balance Nitrogen, Oxygen 4%, Certified Standard Grade
MM OXCD4-E	880	spec order	.14/day	OXY-CO2 4% USP E
OX R	540	9.64	.09/day	OXYGEN R Type Cylinder
OX S	540	11.26	.09/day	OXYGEN S Type Cylinder
OX M-S	540	11.26	.14/day	Oxygen USP Medipure brand S Size Steel Cylinder
OX M-T	540	9.66	.14/day	Oxygen USP Medipure brand T Size Cylinder
OX CD10C-K	296	91.28	.14/day	Balance Oxygen, Carbon Dioxide 10%, Certified Standard Grade
OX T	540	12.21	.09/day	OXYGEN T Type Cylinder
OX K	540	10.53	.09/day	OXYGEN K Type Cylinder
OX CD9C-K	296	109.09	.14/day	Balance Oxygen, Carbon Dioxide 9%, Certified Standard Grade
OX CD2C-K	296	109.09	.14/day	OXY-CO2 2% CS K

<u>Praxair Part #</u>	<u>CGA#</u>	<u>Price</u>	<u>Rent Rate</u>	<u>Praxair product description</u>
OX CD3C-K	296	109.09	.14/day	Balance Oxygen, Carbon Dioxide 3%, Certified Standard Grade
BG OXCD15C-G	500	spec order	.14/day	Oxygen with 15% Carbon Dioxide USP Blood Gas Analysis Certified G Size Steel Cylinder